

OCOUS NATURAL OF			<i>icalici</i>
Version 1.0	S	DS Number: 400000005275	Revision Date: 10/19/2016
SECTION 1. IDENTIFICATION			
Product name	:	GOJO® NATURAL* ORANGE	™ Pumice Hand Cleaner
Manufacturer or supplier's	deta	ails	
Company name of supplier	:	GOJO Industries, Inc.	
Address	:	One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	:	1 (330) 255-6000	
Emergency telephone number	:	1-800-424-9300 CHEMTREC	
Recommended use of the c	:hen	nical and restrictions on use	
Recommended use	:	Skin-care	
Restrictions on use	:		der normal and reasonably d consumer products, specifi- bund the world, are exempt from the consumer. While this mate- s, this SDS contains valuable handling and proper use of the conditions as well as unusual h as large spills. This SDS le for employees and other fic intended-use guidance,

instruction sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Petroleum Distillates	64742-47-8	>= 5 - < 10
Limonene	5989-27-5	>= 0.1 - < 1



Version 1.0	SDS Number: 40000005275	Revision Date: 10/19/2016

SECTION 4. FIRST AID MEASURES		
General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>	
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.	
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical advice.</li> </ul>	
If swallowed	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Rinse mouth with water.</li> <li>Obtain medical attention.</li> </ul>	
Most important symptoms and effects, both acute and delayed	: None known.	
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	None known.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.



Version 1.0 SDS Number: 40000005275 Revision Date: 10/19/2016

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions :	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while ob- serving environmental regulations.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Do not swallow. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	:	Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Petroleum Distillates	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (as total hydro- carbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Limonene	5989-27-5	TWA	20 ppm	ACGIH

### Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.

Eye protection

: No special protective equipment required. Wear face-shield and protective suit for abnormal processing



Version 1.0	SDS Number: 400000005275	Revision Date: 10/19/2016
	problems.	
Skin and body protection	: No special protective equipment	t required.
Protective measures	: Choose body protection in relati tration and amount of dangerous cific work-place.	
Hygiene measures	: Handle in accordance with good practice. Avoid contact with eyes.	l industrial hygiene and safety

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: grey, opaque
Odour	: citrus
Odour Threshold	: No data available
рН	: 6.0 - 8.0, (20 °C)
Solidification / Setting point	: 11.4 °C
Initial boiling point and boiling range	: 98.00 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.0328 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10000 - 50000 mm2/s (20 °C)



Version 1.0	SDS Number: 400000005275	Revision Date: 10/19/2016
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	ot classified as oxidizing.
SECTION 10. STABILITY AN	D REACTIVITY	
Reactivity	: Not classified as a reactivity ha	azard.
Chemical stability	: Stable under normal conditions	5.

Chernical Stability	
Possibility of hazardous reac- tions	: No dangerous reaction known under conditions of normal use.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact		
Acute toxicity Not classified based on availa	ble information.	
<u>Components:</u> Petroleum Distillates: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	<ul> <li>LC50 (Rat): &gt; 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: Based on data from similar materials</li> </ul>	
Acute dermal toxicity	: LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity	
Limonene: Acute oral toxicity	<ul> <li>LD50 (Rat): &gt; 2,000 mg/kg Assessment: The substance or mixture has no acute oral tox- icity Remarks: Based on data from similar materials</li> </ul>	

## Skin corrosion/irritation

Not classified based on available information.



Version 1.0

SDS Number: 40000005275

Revision Date: 10/19/2016

### <u>Components:</u> Petroleum Distillates:

## Assessment: Repeated exposure may cause skin dryness or cracking.

#### Limonene:

Species: Rabbit Result: Skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

**Petroleum Distillates:** Species: Rabbit Result: No eye irritation

### Limonene:

Species: Rabbit Result: No eye irritation

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### Product:

Assessment: Does not cause skin sensitisation.

### **Components:**

### **Petroleum Distillates:**

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

### Limonene:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

<b>Petroleum Distillates:</b>	: Test Type: Bacterial reverse mutation assay (AMES)
Genotoxicity in vitro	Result: negative
Genotoxicity in vivo	: Test Type: Chromosomal aberration Test species: Rat Application Route: Intraperitoneal injection



sion 1.0	SDS Number: 40000005275	Revision Date: 10/19/201
	Result: negative Remarks: Based on data from	similar materials
Limonene:		
Genotoxicity in vitro	: Test Type: In vitro mammalian Result: negative	cell gene mutation test
Genotoxicity in vivo	: Test Type: Transgenic rodent s say Test species: Rat Application Route: Ingestion Result: negative	somatic cell gene mutation as-
Carcinogenicity Not classified based on availa	able information.	
Components: Limonene: Species: Mouse Application Route: Ingestion Exposure time: 103 weeks Result: negative		
IARC	No component of this product pre- equal to 0.1% is identified as prob human carcinogen by IARC.	
OSHA	No component of this product pre- equal to 0.1% is identified as a ca gen by OSHA.	
NTP	No component of this product pre- equal to 0.1% is identified as a kn by NTP.	
Reproductive toxicity Not classified based on availa	able information.	
Components:		
Petroleum Distillates: Effects on fertility	: Test Type: One-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from	
Effects on foetal develop-	: Test Type: Embryo-foetal deve	lopment

## STOT - single exposure

Not classified based on available information.



Version 1.0

SDS Number: 40000005275

Revision Date: 10/19/2016

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

## Components:

Petroleum Distillates: Species: Rat NOAEL: > 10.4 mg/l Application Route: inhalation (vapour) Exposure time: 90 d Remarks: Based on data from similar materials

### Limonene:

Species: Rat NOAEL: 600 mg/kg Application Route: Ingestion Exposure time: 13 w

### Aspiration toxicity

Not classified based on available information.

### **Components:**

## **Petroleum Distillates:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Limonene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Components:		
Petroleum Distillates:		
Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction
		NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction



sion 1.0	S	DS Number: 40000005275 Revision Date: 10/19/2		
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOELR (Ceriodaphnia Dubia (water flea)): > 70 mg/l Exposure time: 8 d Test substance: Water Accommodated Fraction		
Toxicity to bacteria	:	EC50: > 100 mg/l Exposure time: 3 h		
Limonene: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 0.72 mg/l Exposure time: 96 h		
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.36 mg/l Exposure time: 48 h		
Toxicity to algae	:	ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials		
M-Factor (Acute aquatic tox- icity)	:	1		
Persistence and degradabilit	y			
Components:				
Petroleum Distillates: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 82 % Exposure time: 24 d Method: OECD Test Guideline 301F		
Limonene: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 80 % Exposure time: 28 d Remarks: Based on data from similar materials		
Bioaccumulative potential				
Components:				
Components: Limonene: Partition coefficient: n- octanol/water	:	log Pow: 4.38		
Limonene: Partition coefficient: n-	:	log Pow: 4.38		
Limonene: Partition coefficient: n- octanol/water Mobility in soil	:	log Pow: 4.38		
Limonene: Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects	:	log Pow: 4.38		
Limonene: Partition coefficient: n- octanol/water Mobility in soil No data available Other adverse effects No data available	:	log Pow: 4.38 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances		



Version	1.0
10101011	1.0

SDS Number: 40000005275

Revision Date: 10/19/2016

Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues		Dispose of in accordance with local regulations.
Contaminated packaging		Dispose of as unused product.
eenalininalee paolaging	•	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

## International Regulation

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good **National Regulations** 

### 49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting re- quirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



sion 1.0		SDS Number: 400000	005275 Revisio	n Date: 10/19/201
This product 450.	t does not conta	in any VOC exemptions li	sted under the U.S. Clea	n Air Act Section
Clean Wate	r Act			
This product 307	t does not conta	in any toxic pollutants liste	ed under the U.S. Clean	Water Act Sectior
US State Re	egulations			
Massachus	etts Right To K	now		
	Petroleum	Distillates	64742-47-8	5 - 10 %
Pennsylvan	nia Right To Kn	ow		
	Water (Aqu	a)	7732-18-5	70 - 90 %
	Pumice		1332-09-8	5 - 10 %
	Petroleum		64742-47-8	5 - 10 %
New Jersey	Right To Know			/
	Water (Aqu Pumice	a)	7732-18-5	70 - 90 % 5 - 10 %
	Petroleum	Distillates	1332-09-8 64742-47-8	5 - 10 % 5 - 10 %
The compo	nents of this p	productive harm.	ne following inventories	5:
TSCA		: On TSCA Inventor	y	
CH INV		: On the inventory, c	or in compliance with the	inventory
AICS		: On the inventory, o	or in compliance with the	inventory
DSL		: All components of	this product are on the C	anadian DSL.
PICCS		: On the inventory, c	or in compliance with the	inventory
ENCS		: On the inventory, c	or in compliance with the	inventory
IECSC		: On the inventory, c	or in compliance with the	inventory
ISHL		: On the inventory, c	or in compliance with the	inventory
NZIoC		: On the inventory, c	or in compliance with the	inventory
KECI		: On the inventory, c	or in compliance with the	inventory

## Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version 1.0

SDS Number: 40000005275

Revision Date: 10/19/2016

## **SECTION 16. OTHER INFORMATION**

## **Further information**



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

### Revision Date

: 10/19/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.