Revised On 01/06/2023

	1 Identification of the substance and manufacturer		
Trade name:	NEW FARM AND IMPLEMENT GREEN		
Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	0000160268 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com	
2 Hazard(s) identification			
Classification of the substance or m	nixture		
Flammable Aerosols 1	H222 Extremely flammable aerosol.		
Gases under Pressure - Liquefied gas	H280 Contains gas under pressure;	may explode if heated.	
Eye Irritation 2A	H319 Causes serious eye irritation.		
Carcinogenicity 2	H351 Suspected of causing cancer.	Route of exposure: Inhalation.	
Specific Target Organ Toxicity - Single	Exposure 3 H336 May cause drowsiness or dizz	ziness.	
Specific Target Organ Toxicity - Repea Additional information: GHS Hazard pictograms	ated Exposure 2 H373 May cause damage to organs	through prolonged or repeated exposure.	
Signal word Hazard statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heate Causes serious eye irritation. Suspected of causing cancer. Route of exposure: Ir May cause drowsiness or dizziness.	nhalation.	
Precautionary statements	May cause damage to organs through prolonged or repeated exposure. Obtain special instructions before use. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.		

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.				
Dangerous components:				
67-64-1 Acetone		15-25%		
74-98-6 propane		15-25%		
7727-43-7 barium sulfate		5-10%		
106-97-8 n-butane		5-10%		
110-19-0 Isobutyl Acetate		5-10%		
2807-30-9 Glycol Ether EP		≥5-<10%		
123-86-4 butyl acetate		1-5%		
108-65-6 PM acetate		1-5%		
107-87-9 Methyl Propyl Ketc	ne	1-5%		

4 First-aid measures

Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. After inhalation: After skin contact: After eye contact: After swallowing:

(Contd. on page 2)

Revised On 01/06/2023

Trade name: NEW FARM AND IMPLEMENT GREEN		
(Contd. of page 1)		
Most importa	ant symptoms and	Rinse mouth with water. Do not induce vomiting.
effects:		Dizziness
attention of	any immediate medical ded:	No further relevant information available.
5 Fire-fighting		
Extinguishing Special hazar	g agents: rds:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. No further relevant information available.
Protective eq firefighters:	uipment for	A respiratory protective device may be necessary.
inenginers.		
6 Accidental r	release measures	
Personal pre	cautions, protective	
procedures:	nd emergency	Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.
Methods and	material for	Use respiratory protective device against the effects of fumes/dust/aerosol.
containment	and cleaning up:	Ensure adequate ventilation.
7 Handling on	ad atorago	
7 Handling an Precautions 1	for safe handling	Use only in well ventilated areas.
Storage requ		Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.
8 Exposure co	ontrols/personal prote	ection
		equire monitoring at the workplace:
67-64-1 Aceto PEL (USA)	one Long-term value: 2400 m	ng/m³ 1000 nnm
REL (USA)	Long-term value: 590 mg	
TLV (USA)	Short-term value: 500 pp	
	Long-term value: 250 pp A4, BEI	
74-98-6 propa		- 3 4000
PEL (USA) REL (USA)		
TLV (USA)	see Appendix F Minimal oxygen content (D, EX)	
7727-43-7 bar PEL (USA)		ma/m ³
PEL (USA)	Long-term value: 15* 5** *total dust **respirable fr	action
REL (USA)	Long-term value: 10* 5** *total dust **respirable fr	mg/m ³
TLV (USA)	Long-term value: 5* mg/i	
*inhalable fraction; E 106-97-8 n-butane		
REL (USA)	Long-term value: 1900 m	
TLV (USA)	Short-term value: 1000 p (EX)	pm
110-19-0 Isob	outyl Acetate	
PEL (USA)	Long-term value: 700 mg/m ³ , 150 ppm	
REL (USA) TLV (USA)	Long-term value: 700 mg/m³, 150 ppm Short-term value: 150 ppm	
、 <i>、</i> ,	Long-term value: 50 ppm	
123-86-4 buty PEL (USA)	/I acetate Long-term value: 710 mg	1/m³ 150 ppm
REL (USA)	Short-term value: 950 m	g/m ³ , 200 ppm
TLV (USA)	Long-term value: 710 mg/m ³ , 150 ppm Short-term value: 150 ppm	
, , ,	Long-term value: 50 ppr	
108-65-6 PM		
	Long-term value: 50 ppm hyl Propyl Ketone	1
	Long-term value: 700 mg	
		(Contd. on page 3)

Page 3/4

Revised On 01/06/2023

Trade name: NEW FARM AND IMPLEMENT GREEN		
	(Contd. of page 2)	
REL (USA) Long-term value: 530 mg/m³, 150 ppm TLV (USA) Short-term value: 150 ppm		
Ingredients with biological limit value	Jes:	
67-64-1 Acetone		
BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nons	pecific)	
Hygienic protection: Breathing equipment:	Keep away from foodstuffs and animal feed. Wash hands after use. Immediately remove all soiled and contaminated clothing. Wash hands after use. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. In	
Hand protection:	cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine. Nitrile gloves.	
Eye protection:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles	
9 Physical and chemical propertie		
Appearance:	Aerosol.	
Odor: Odor threshold:	Aromatic Not determined.	
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44 °C (-47.2 °F)	
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol %	
Vapor pressure: Vapor density Evaporation rate Partition coefficient: n-octonal/wate	Not determined. Not determined. Not applicable. r: Not determined.	
Solubility: Viscosity: Water:	Not determined. Not determined. 0.0 %	
10 Stability and reactivity		
Reactivity: Conditions to avoid: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Stable at normal temperatures. No decomposition if used according to specifications. Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.	
11 Toxicological information		
LD/LC50 values that are relevant for	classification:	
110-19-0 Isobutyl Acetate Oral LD50 4,763 mg/kg (rbt)		
123-86-4 butyl acetate		
Oral LD50 14,000 mg/kg (ra Inhalative LC50/4 h >21 mg/l (rat)	t)	
108-65-6 PM acetate		
Oral LD50 8,500 mg/kg (rat		
Inhalative LC50/4 h 35.7 mg/l (rat)		
Information on toxicological effects Skin effects:	: No data available. No irritant effect.	
Eye effects:	Irritating effect.	
	(Contd. on page 4)	

Г

L

Revised On 01/06/2023

Page 4/4

Trade name: NEW FARM AND IMPLEMENT GREEN		
Sensitization:	(Contd. of page 3) (Contd. of page 3)	
12 Ecological information Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents.	
Bioaccumulative potential: Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available. No further relevant information available.	
13 Disposal considerations		
Dispose of in accordance with local,	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be or cut empty containers with electric or gas torches. Completely empty cans should be recycled.	
14 Transport information		
UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases F-D,S-U UN1950, Aerosols, 2.1	
15 Regulatory information		
SARA Section 355 (extremely haza	rdous substances):	
None of the ingredients in this produc		
SARA Section 313 (Specific toxic c	hemical listings):	
7727-43-7 barium sulfate		
Toxic Substances Control Act (TSCA): Canadian Domestic Substances Lis (DSL): Consumer Product Safety	All ingredients are listed or exempted.	
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.	
California Proposition 65 chemical 13463-67-7 ltitanium dioxide	S KNOWN LO CAUSE CANCER:	
108-10-1 methyl isobutyl ketone		
100-41-4 ethyl benzene		
1333-86-4 Carbon black		
	birth defects or reproductive harm:	
108-10-1 methyl isobutyl ketone		
EPA:		
67-64-1 Acetone 7727-43-7 barium sulfate	D, CBD(inh), NL(oral)	
110-19-0 Isobutyl Acetate	D	
· · · ·		
16 Other information		
Contact:	Regulatory Affairs	