1 Identification of the substance and manufacturer

1 Identification of the substance	and manufacturer	
Trade name:	FORKLIFT ORANGE	
Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	0006201438Paint and coatings application.Any that differs from the recommended use.Seymour of Sycamore917 Crosby AvenueSycamore, IL 60178 USAphone: 815-895-9101www.seymourpaint.com1-800-255-3924	
2 Hazard(s) identification		
Classification of the substance or	mixture	
Flammable Aerosols 1	H222 Extremely flammable aero	osol.
Gases under Pressure - Liquefied gas		
Eye Irritation 2A	H319 Causes serious eye irritati	
Carcinogenicity 2	,	cer. Route of exposure: Inhalation.
Specific Target Organ Toxicity - Sing		dizziness.
	GHS02 GHS04 GHS07 GHS08	
Signal word Hazard statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if he Causes serious eye irritation. Suspected of causing cancer. Route of exposur May cause drowsiness or dizziness. May cause damage to organs through prolonge	e: Inhalation.
Precautionary statements	Obtain special instructions before use. Keep away from heat/sparks/open flames/hot s Do not spray on an open flame or other ignition Pressurized container: Do not pierce or burn, ev Do not breathe dust/fume/gas/mist/vapors/spra Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye p IF INHALED: Remove person to fresh air and ku If in eyes: Rinse cautiously with water for seve easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/atter Store in a well-ventilated place. Store locked up.	source. ven after use. y. protection/face protection. eep comfortable for breathing. eral minutes. Remove contact lenses, if present and

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.			gulations.
3 Composit	ion/information on ing	predients	
	haracterization: Mixture	s This product is a mixture of the substances listed below with nonhazardous additions.	
Dangerous	Dangerous components:		
67-64-1	Acetone		15-25%
74-98-6	propane		15-25%
106-97-8	n-butane		5-10%
7727-43-7	barium sulfate		5-10%
110-19-0	Isobutyl Acetate		5-10%
2807-30-9	Glycol Ether EP		≥5-<10%
123-86-4	butyl acetate		1-5%
108-65-6	PM acetate		1-5%
13463-67-7	titanium dioxide		1-5%
107-87-9	Methyl Propyl Ketone		1-5%

4 First-aid measures

After inhalation: After skin contact: After eye contact: Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. (Contd. on page 2)

Revised On 09/18/2023

Trade name: FOR	Trade name: FORKLIFT ORANGE		
After swallow	vina:	(Contd. of page 1) Rinse out mouth and then drink plenty of water.	
	5	Rinse mouth with water. Do not induce vomiting.	
Most importa effects:	ant symptoms and	Dizziness	
Indication of	any immediate medical		
attention nee	aea:	No further relevant information available.	
5 Fire-fighting	n measures		
Extinguishing	g agents:	CO2, extinguishing powder or water spray. Fight larger fires with water spray.	
Special hazai Protective eq	rds:	Can form explosive gas-air mixtures.	
firefighters:		A respiratory protective device may be necessary.	
	release measures		
Personal pred	cautions, protective nd emergency		
procedures:	na omorgonoy	Wear protective equipment. Keep unprotected persons away.	
Methods and	material for	Use respiratory protective device against the effects of fumes/dust/aerosol.	
	and cleaning up:	Ensure adequate ventilation.	
7 Handling an			
Storage requ	for safe handling irements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.	
		Store lockéd up.	
	ontrols/personal prot		
67-64-1 Aceto		equire monitoring at the workplace:	
PEL (USA)	Long-term value: 2400 n	na/m³. 1000 ppm	
REL (USA)	Long-term value: 590 mg	g/m³, 250 ppm	
TLV (USA)	Short-term value: 500 pp	om m	
	Long-term value: 250 pp A4, BEI		
74-98-6 propa			
PEL (USA)	Long-term value: 1800 n Long-term value: 1800 n		
	see Appendix F Minimal		
106-97-8 n-bu			
	Long-term value: 1900 n		
TLV (USA)	Short-term value: 1000 p (EX)	opm	
7727-43-7 bai	· · ·		
PEL (USA)	Long-term value: 15* 5** *total dust **respirable fr	r mg/m ³	
REL (USA)			
, , , , , , , , , , , , , , , , , , ,	Long-term value: 10* 5** *total dust **respirable fr		
TLV (USA)	Long-term value: 5* mg/ *inhalable fraction; E	m°	
110-19-0 Isob	outyl Acetate		
```	Long-term value: 700 mg		
REL (USA) TLV (USA)	Long-term value: 700 mg Short-term value: 150 pp		
1LV (USA)	Long-term value: 50 pp		
123-86-4 buty	l acetate		
PEL (USA)	Long-term value: 710 mg Short-term value: 950 m		
REL (USA)	Long-term value: 950 m	g/m ³ , 150 ppm	
TLV (USA)	Short-term value: 150 pp	bm	
108-65-6 PM	Long-term value: 50 ppn	1	
WEEL (USA) Long-term value: 50 ppm			
107-87-9 Met	hyl Propyl Ketone		
PEL (USA)	Long-term value: 700 mg		
		(Contd. on page 3)	

Revised On 09/18/2023

Page 3/4

Trade name: FORKLIFT ORANGE			
(Contd. of page 2) REL (USA) Long-term value: 530 mg/m³, 150 ppm			
REL (USA) Long-term value: 530 m TLV (USA) Short-term value: 150 p			
Ingredients with biological limit value	Jes:		
67-64-1 Acetone			
BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonsp	pecific)		
Hygienic protection:	Keep away from foodstuffs and animal feed. Wash hands after use. Immediately remove all soiled and contaminated clothing. Wash hands after use.		
Breathing equipment:	Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a NIOSH approved respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygiene.		
Hand protection:	Nitrile gloves.		
Eye protection:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles		
9 Physical and chemical properties	5		
Appearance:	Aerosol.		
Odor: Odor threshold:	Aromatic Not determined.		
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44 °C (-47.2 °F)		
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not self-igniting.		
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol %		
Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/wate	Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. <b>r:</b> Not determined.		
Solubility: Viscosity: Water:	Not determined. Not determined. 0.0 %		
10 Stability and reactivity			
Reactivity: Conditions to avoid: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures. Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.		
11 Toxicological information			
LD/LC50 values that are relevant for	classification:		
110-19-0 Isobutyl Acetate			
Oral LD50 4,763 mg/kg (rbt)			
123-86-4 butyl acetate Oral LD50 14.000 mg/kg (ra	t)		
Oral LD50 14,000 mg/kg (rat) Inhalative LC50/4 h >21 mg/l (rat)			
108-65-6 PM acetate	108-65-6 PM acetate		
Oral LD50 8,500 mg/kg (rat)			
Inhalative LC50/4 h 35.7 mg/l (rat)	(Contd. on page 4)		

Revised On 09/18/2023

## Trade name: FORKLIFT ORANGE

		(Contd. of page 3)		
13463-67-7 titanium dioxide		( <u> </u>		
Oral LD50 >20,000 mg/kg (	rat)			
Dermal LD50 >10,000 mg/kg (	,			
Inhalative LC50/4 h >6.82 mg/l (rat)				
Information on toxicological effects				
Skin effects:	No irritant effect.			
Eye effects:	Irritating effect.			
Sensitization:	No sensitizing effects known.			
12 Ecological information				
Aquatic toxicity:	Hazardous for water, do not empty into drains.			
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering pr	2022200		
Other information:	This product does not contain any chlorofluorocarbons (CFC's), hyd	rochlorofluorocarbons		
Other mormation.	(HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, ca	dmium) or chlorinated		
	solvents.	annum, or oniornation		
Bioaccumulative potential:	No further relevant information available.			
Mobility in soil:	No further relevant information available.			
Other adverse effects:	No further relevant information available.			
13 Disposal considerations				
	state, and federal regulations. Do not puncture, incinerate, or compact. Partia	ally empty cans must be		
	or cut empty containers with electric or gas torches.	,		
Recommendation:	Completely empty cans should be recycled.			
Recommended cleansing agent:	Water, if necessary with cleansing agents.			
	. , , , , , , , , , , , , , , , , , , ,			
14 Transport information				
UN-Number	UN1950			
DOT	UN1950			
	UN1950			
DOT	DOT			
	Aerosols, flammable			
ADR	1950 Aerosols			
Transport hazard class(es):				
Class	2.1 Gases			
Marine pollutant:	No			
Special precautions for user:	Warning: Gases			
EMS Number:	F-D,S-Ŭ			
Packaging Group:	¹			
UN "Model Regulation":	UN1950, Aerosols, 2.1			
15 Regulatory information				
SARA Section 355 (extremely hazar	dous substances):			
None of the ingredients in this product	are listed.			
SARA Section 313 (Specific toxic c	homical listings);			
	iennoa nsungs).			
7727-43-7 barium sulfate				
Toxic Substances Control Act				
(TSCA):	All hazardous ingredients are found on the inventory list of substances.			
Canadian Domestic Substances Lis				
(DSL):	All ingredients are listed or exempted.			
Consumer Product Safety	This product complice with 46 OED 4202 and does not contain mer.	) nnm of land		
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90	ppm or lead.		
California Proposition 65 chemical	s known to cause cancer:			
13463-67-7 titanium dioxide				
108-10-1 methyl isobutyl ketone				
100-41-4 ethyl benzene				
· · ·				
Prop 65 chemicals known to cause birth defects or reproductive harm:				
108-10-1 methyl isobutyl ketone				
EPA:				
67-64-1 Acetone				
7727-43-7 barium sulfate		D, CBD(inh), NL(oral)		
110-19-0 Isobutyl Acetate		D		
16 Other information				
Contact:	Regulatory Affairs			